

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTABEM1624

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 NOV 21 CAS patent coverage to include exemplified prophetic
substances identified in English-, French-, German-,
and Japanese-language basic patents from 2004-present
NEWS 3 NOV 26 MARPAT enhanced with FSORT command
NEWS 4 NOV 26 CHEMSAFE now available on STN Easy
NEWS 5 NOV 26 Two new SET commands increase convenience of STN
searching
NEWS 6 DEC 01 ChemPort single article sales feature unavailable
NEWS 7 DEC 12 GBFULL now offers single source for full-text
coverage of complete UK patent families
NEWS 8 DEC 17 Fifty-one pharmaceutical ingredients added to PS
NEWS 9 JAN 06 The retention policy for unread STNmail messages
will change in 2009 for STN-Columbus and STN-Tokyo
NEWS 10 JAN 07 WPIDS, WPINDEX, and WPIX enhanced Japanese Patent
Classification Data
NEWS 11 FEB 02 Simultaneous left and right truncation (SLART) added
for CERAB, COMPUAB, ELCOM, and SOLIDSTATEM
NEWS 12 FEB 02 GENBANK enhanced with SET PLURALS and SET SPELLING

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:39:01 ON 03 FEB 2009

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'REGISTRY' ENTERED AT 16:39:21 ON 03 FEB 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8
DICTIONARY FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.



Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>

Uploading C:\Program Files\STNEXP\Queries\10569482.str



chain nodes :
12 14 15 16 17 18
ring nodes :
1 2 3 4 5 6 7 8 9 10
chain bonds :
1-14 7-12 14-15 15-16 16-17 17-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10
exact/norm bonds :
1-14 5-7 6-10 7-8 7-12 8-9 9-10 14-15 16-17 17-18
exact bonds :
15-16
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :

containing 1 :

G1:O,N,Ak

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
12:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 O,N,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 16:40:01 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1131 TO ITERATE

100.0% PROCESSED 1131 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 20603 TO 24637

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 sss full

FULL SEARCH INITIATED 16:40:05 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 22768 TO ITERATE

100.0% PROCESSED 22768 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L3 0 SEA SSS FUL L1

=> fil stnguide
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
186.36	186.58

FILE 'STNGUIDE' ENTERED AT 16:40:18 ON 03 FEB 2009
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Jan 30, 2009 (20090130/UP).

=> fil reg
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
0.14	186.72

FILE 'REGISTRY' ENTERED AT 16:41:40 ON 03 FEB 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8
DICTIONARY FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\STNEXP\Queries\10569482narrower.str



chain nodes :
12 14 15
ring nodes :
1 2 3 4 5 6 7 8 9 10
chain bonds :
1-14 7-12 14-15
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10
exact/norm bonds :

1-14 5-7 6-10 7-8 7-12 8-9 9-10 14-15
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :

G1:O,N,Ak

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
12:CLASS 14:CLASS 15:CLASS

L4 STRUCTURE UPLOADED

=> d l4
L4 HAS NO ANSWERS
L4 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s l4
SAMPLE SEARCH INITIATED 16:42:23 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 8456 TO ITERATE

23.7% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 163608 TO 174632
PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L4


=> s l4 sss full
FULL SEARCH INITIATED 16:42:27 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 168941 TO ITERATE

100.0% PROCESSED 168941 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.02

L6 1 SEA SSS FUL L4

=> d scan

L6 1 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-6-butanoic acid,
3,4-dihydro-4-methyl- α,γ -dioxo-8-(phenylmethyl)-
MF C20 H19 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> fil stnguide

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	186.36	373.08

FILE 'STNGUIDE' ENTERED AT 16:42:44 ON 03 FEB 2009
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
 LAST RELOADED: Jan 30, 2009 (20090130/UP).

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	373.29

FILE 'REGISTRY' ENTERED AT 16:44:34 ON 03 FEB 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8
 DICTIONARY FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\STNEXP\Queries\10569482narrower2.str



```

chain nodes :
12 14
ring nodes :
1 2 3 4 5 6 7 8 9 10 15 16 17 18 19 20
chain bonds :
1-14 7-12 14-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 15-16 15-20 16-17 17-18
18-19 19-20
exact/norm bonds :
1-14 5-7 6-10 7-8 7-12 8-9 9-10 14-18
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20
isolated ring systems :
containing 1 : 15 :

```

G1:O,N,Ak

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
12:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom

```

L7 STRUCTURE UPLOADED

```

=> d 17
L7 HAS NO ANSWERS
L7 STR

```

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

```

=> s 17
SAMPLE SEARCH INITIATED 16:44:51 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 8456 TO ITERATE

```

```

23.7% PROCESSED 2000 ITERATIONS 1 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

```

```

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
                        BATCH **COMPLETE**
PROJECTED ITERATIONS: 163608 TO 174632
PROJECTED ANSWERS: 1 TO 207

```

L8 1 SEA SSS SAM L7

=> s 17 sss full
FULL SEARCH INITIATED 16:44:56 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 168941 TO ITERATE

100.0% PROCESSED 168941 ITERATIONS
SEARCH TIME: 00.00.02

78 ANSWERS


L9 78 SEA SSS FUL L7

=> d scan


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[4-(3-chlorophenoxy)butoxy]phenyl]ethenyl]-2,3-
dihydro-
MF C31 H32 Cl N O7

Double bond geometry as shown.

PAGE 1-A



PAGE 2-A




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):40

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C32 H33 N O6

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[2-(2,3-dihydro-1H-inden-2-yl)ethoxy]phenyl]ethenyl]-2,3-dihydro-
MF C32 H33 N O6

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4H-1,4-Benzoxazine-4-butanoic acid,
2,3-dihydro-2-[(hydroxyamino)iminomethyl]-8-[2-[4-(4-
phenylbutoxy)phenyl]ethenyl]-, ethyl ester
MF C33 H39 N3 O5





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(2-
 methylphenoxy)propoxy]phenyl]ethenyl]-
 MF C31 H33 N O7

Double bond geometry as shown.

PAGE 1-A






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro- γ -oxo-8-[(1E)-2-[4-(4-
 phenylbutoxy)phenyl]ethenyl]-
 MF C31 H31 N O7



Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(3-
 methylphenoxy)propoxy]phenyl]ethenyl]-
 MF C31 H33 N O7


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-(aminocarbonyl)-2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-
 MF C31 H34 N2 O5

Double bond geometry as shown.





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(2-fluorophenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C31 H32 F N O7

Double bond geometry as shown.



PAGE 1-A





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[3-(3-methoxyphenoxy)propoxy]phenyl]ethyl]-
 MF C31 H35 N O8




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(2-
 methylphenoxy)butoxy]phenyl]ethenyl]-
 MF C32 H35 N O7

Double bond geometry as shown.

PAGE 1-A





PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[3-(4-methylphenoxy)propoxy]phenyl]ethyl]-
 MF C31 H35 N O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(3-
 methoxyphenoxy)butoxy]phenyl]ethenyl]-
 MF C32 H35 N O8

Double bond geometry as shown.

PAGE 1-A





PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[4-(2-methylphenoxy)butoxy]phenyl]ethyl]-
MF C32 H37 N O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[(2,3-dihydro-1H-inden-2-yl)oxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C30 H29 N O6


Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[4-(3-methoxyphenoxy)butoxy]phenyl]ethyl]-
 MF C32 H37 N O8

PAGE 1-A






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-(3-phenylpropoxy)phenyl]ethenyl]-
 MF C30 H31 N O6

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-(3-phenylpropoxy)phenyl]ethyl]-
 MF C30 H33 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1Z)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-
 MF C31 H33 N O6



Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(2,6-dichlorophenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C31 H31 Cl₂ N O7


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-(4-phenoxybutyl)phenyl]ethenyl]-
 MF C31 H33 N O6


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-(3-phenoxypropoxy)phenyl]ethenyl]-
 MF C30 H31 N O7

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,

2-(2,5-dihydro-5-oxo-1,2,4-oxadiazol-3-yl)-2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-, ethyl ester
 MF C34 H37 N3 O6



Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[3-(4-fluorophenoxy)propoxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C30 H30 F N O7


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-(ethoxycarbonyl)-2,3-dihydro-8-[(1E)-2-[4-(4-
 phenylbutoxy)phenyl]ethenyl]-
 MF C33 H37 N O6

Double bond geometry as shown.





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[3-(3-fluorophenoxy)propoxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C30 H30 F N O7

Double bond geometry as shown.

PAGE 1-A






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-(2,5-dihydro-5-oxo-1,2,4-thiadiazol-3-yl)-2,3-dihydro-8-[(1E)-2-[4-(4-
 phenylbutoxy)phenyl]ethenyl]-
 MF C32 H33 N3 O5 S

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-[2-(
 methylthio)phenoxy]butoxy]phenyl]ethenyl]-
 MF C32 H35 N O7 S

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4H-1,4-Benzoxazine-4-butanoic acid,
2,3-dihydro-8-[2-[4-(4-phenylbutoxy)phenyl]ethyl]-2-(2H-tetrazol-5-yl)-
MF C31 H35 N5 O4





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(4-fluorophenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C31 H32 F N O7

Double bond geometry as shown.



PAGE 1-A





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[3-(2-methylphenoxy)propoxy]phenyl]ethyl]-
 MF C31 H35 N O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(4-
 methoxyphenoxy)butoxy]phenyl]ethenyl]-
 MF C32 H35 N O8

Double bond geometry as shown.

PAGE 1-A





PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[4-(4-methylphenoxy)butoxy]phenyl]ethyl]-
 MF C32 H37 N O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[3-(2,3-dihydro-1H-inden-2-yl)propoxy]phenyl]ethenyl]-2,3-dihydro-
 MF C33 H35 N O6


Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[4-(4-methoxyphenoxy)butoxy]phenyl]ethyl]-
 MF C32 H37 N O8

PAGE 1-A






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[(2,3-dihydro-1H-inden-2-yl)methoxy]phenyl]ethenyl]-
 2,3-dihydro-
 MF C31 H31 N O6

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[2-[4-[(2,3-dihydro-1H-inden-2-yl)methoxy]phenyl]ethyl]-2,3-
 dihydro-
 MF C31 H33 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-2-
 [[phenylsulfonyl]amino]carbonyl]-
 MF C37 H38 N2 O7 S

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(2,6-dimethylphenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C33 H37 N O7

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-6-butanoic acid,
 3,4-dihydro-4-methyl- α,γ -dioxo-8-(phenylmethyl)-
 MF C20 H19 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 78 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[3-(2-chlorophenoxy)propoxy]phenyl]ethenyl]-2,3-
 dihydro-
 MF C30 H30 Cl N O7

Double bond geometry as shown.

PAGE 1-A



PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> fil cap

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

186.36

559.65

FILE 'CAPLUS' ENTERED AT 16:45:30 ON 03 FEB 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Feb 2009 VOL 150 ISS 6
FILE LAST UPDATED: 2 Feb 2009 (20090202/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d his

(FILE 'HOME' ENTERED AT 16:39:01 ON 03 FEB 2009)

FILE 'REGISTRY' ENTERED AT 16:39:21 ON 03 FEB 2009

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 0 S L1 SSS FULL

FILE 'STNGUIDE' ENTERED AT 16:40:18 ON 03 FEB 2009

FILE 'REGISTRY' ENTERED AT 16:41:40 ON 03 FEB 2009

L4 STRUCTURE UPLOADED

L5 0 S L4

L6 1 S L4 SSS FULL

FILE 'STNGUIDE' ENTERED AT 16:42:44 ON 03 FEB 2009

FILE 'REGISTRY' ENTERED AT 16:44:34 ON 03 FEB 2009

L7 STRUCTURE UPLOADED

L8 1 S L7

L9 78 S L7 SSS FULL

FILE 'CAPLUS' ENTERED AT 16:45:30 ON 03 FEB 2009

=> s 19

L10 2 L9

=> d 1-2 ibib abs hitstr

L10 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:219785 CAPLUS


DOCUMENT NUMBER: 142:298120

TITLE: Preparation of

3,4-dihydro-2H-1,4-benzoxazine-2-carboxylic acid
derivatives as cysLT2 receptor antagonists for

treatment of respiratory diseases
 INVENTOR(S): Takeuchi, Jun; Itadani, Satoshi; Nakayama, Yoshisuke;
 PATENT ASSIGNEE(S): Tatsumi, Tadashi; Takahashi, Shinya; Fujita, Manabu
 SOURCE: Ono Pharmaceutical Co., Ltd., Japan
 PCT Int. Appl., 237 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005021518	A1	20050310	WO 2004-JP12563	20040831
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004268865	A1	20050310	AU 2004-268865	20040831
CA 2537355	A1	20050310	CA 2004-2537355	20040831
EP 1661892	A1	20060531	EP 2004-772519	20040831
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
CN 1845911	A	20061011	CN 2004-80025056	20040831
BR 2004013968	A	20061031	BR 2004-13968	20040831
MX 2006002152	A	20060522	MX 2006-2152	20060224
KR 2006119903	A	20061124	KR 2006-704215	20060228
IN 2006KN00756	A	20070323	IN 2006-KN756	20060329
NO 2006001513	A	20060601	NO 2006-1513	20060403
US 20060194797	A1	20060831	US 2006-569482	20060405
PRIORITY APPLN. INFO.:			JP 2003-309232	A 20030901
			JP 2003-369547	A 20031029
			WO 2004-JP12563	W 20040831
OTHER SOURCE(S):			MARPAT 142:298120	
GI				



AB The title benzoxazine derivs. I [wherein R1 and R2 = independently (un)substituted acid group; D and E = independently a bond or a spacer; R3

= a substituent; ring A = (un)substituted cyclyl; ring B = (un)substituted cyclyl; Y and Z = independently C or N] or N-oxides, salts, solvates, or prodrugs thereof are prepared as cysteinyl leukotriene receptor LT-2 (cysLT2) antagonists. For example, the compound II was prepared in a multi-step synthesis. I inhibited cysLT2 with IC50 of <10 µM. I are useful for the treatment of respiratory diseases, such as bronchial asthma, chronic obstructive lung disease, pulmonary emphysema, chronic bronchitis, pneumonia, severe acute respiratory syndrome (SARS), acute respiratory distress syndrome (ARDS), allergic rhinitis, sinusitis, etc. (no data). Formulations containing I as an active ingredient were also described.

IT 847655-63-4P 847655-64-5P 847655-70-3P
 847656-78-4P 847656-81-9P 847656-82-0P
 847656-83-1P 847656-84-2P 847656-85-3P
 847656-86-4P 847656-87-5P 847656-88-6P
 847656-89-7P 847656-90-0P 847656-91-1P
 847656-92-2P 847656-93-3P 847656-94-4P
 847656-95-5P 847656-96-6P 847656-97-7P
 847656-98-8P 847656-99-9P 847657-00-5P
 847657-01-6P 847657-02-7P 847657-03-8P
 847657-04-9P 847657-05-0P 847657-06-1P
 847657-07-2P 847657-08-3P 847657-09-4P
 847657-10-7P 847657-11-8P 847657-12-9P
 847657-13-0P 847657-14-1P 847657-15-2P
 847657-16-3P 847657-17-4P 847657-18-5P
 847657-20-9P 847657-21-0P 847657-22-1P
 847657-23-2P 847657-24-3P 847657-25-4P
 847657-26-5P 847657-27-6P 847657-28-7P
 847657-29-8P 847657-30-1P 847657-32-3P
 847657-33-4P 847657-34-5P 847657-35-6P
 847657-36-7P 847657-37-8P 847657-38-9P
 847657-40-3P 847657-41-4P 847657-42-5P
 847657-43-6P 847657-45-8P 847657-46-9P
 847657-51-6P 847657-54-9P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of benzoxazine derivs. as cysLT2 receptor antagonists for treatment of respiratory diseases)


RN 847655-63-4 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.




RN 847655-64-5 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-(4-phenylbutoxy)phenyl]ethyl]- (CA INDEX
 NAME)




RN 847655-70-3 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1Z)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]- (CA
 INDEX NAME)

Double bond geometry as shown.




RN 847656-78-4 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-2-
 [[(phenylsulfonyl)amino]carbonyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 847656-81-9 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[(5-phenylpentyl)oxy]phenyl]ethenyl]-
 (CA INDEX NAME)


Double bond geometry as shown.



RN 847656-82-0 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-(4-phenoxybutoxy)phenyl]ethenyl]- (CA
INDEX NAME)


Double bond geometry as shown.



RN 847656-83-1 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-(3-phenylpropoxy)phenyl]ethenyl]- (CA
INDEX NAME)


Double bond geometry as shown.



RN 847656-84-2 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[(2,3-dihydro-1H-inden-2-yl)methoxy]phenyl]ethenyl]-
2,3-dihydro- (CA INDEX NAME)


Double bond geometry as shown.



RN 847656-85-3 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[(7-chloro-2-quinolinyl)methoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)


Double bond geometry as shown.




RN 847656-86-4 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[[3-[(7-chloro-2-
 quinolinyl)methoxy]phenyl]methoxy]phenyl]ethenyl]-2,3-dihydro- (CA INDEX
 NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 1-B



RN 847656-87-5 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[(2,3-dihydro-1H-inden-2-yl)oxy]phenyl]ethenyl]-2,3-
 dihydro- (CA INDEX NAME)


Double bond geometry as shown.



RN 847656-88-6 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[3-(2,3-dihydro-1H-inden-2-yl)propoxy]phenyl]ethenyl]-2,3-dihydro- (CA INDEX NAME)


Double bond geometry as shown.



RN 847656-89-7 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(phenylmethoxy)butoxy]phenyl]ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.



RN 847656-90-0 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[(5-phenoxy)pentyl]oxy]phenyl]ethenyl]-
(CA INDEX NAME)

Double bond geometry as shown.




RN 847656-91-1 CAPLUS


CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(3-methoxyphenoxy)butoxy]phenyl]ethenyl]-
(CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847656-92-2 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(4-
methoxyphenoxy)butoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847656-93-3 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(3-
methoxyphenoxy)butoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847656-94-4 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[4-(3-fluorophenoxy)butoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847656-95-5 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(2-
methylphenoxy)butoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A





PAGE 2-A



RN 847656-96-6 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[4-(4-fluorophenoxy)butoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)


Double bond geometry as shown.




RN 847656-97-7 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(4-
 methylphenoxy)butoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847656-98-8 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-(2-
methoxyphenoxy)butoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847656-99-9 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[4-(2-fluorophenoxy)butoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-00-5 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[4-[2-
(methythio)phenoxy]butoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-01-6 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[3-(4-chlorophenyl)propoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-02-7 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(4-
methoxyphenyl)propoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-03-8 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(3-
methylphenoxy)propoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-04-9 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[3-(3-fluorophenoxy)propoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-05-0 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(3-
methoxyphenoxy)propoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A





PAGE 2-A



RN 847657-06-1 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(4-
methylphenoxy)propoxy]phenyl]ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.




RN 847657-07-2 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(2-
 methylphenoxy)propoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-08-3 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[3-(4-fluorophenoxy)propoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A




RN 847657-09-4 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-[3-(4-
methoxyphenoxy)propoxy]phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A





PAGE 2-A



RN 847657-10-7 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[(1E)-2-[4-[3-(3-chlorophenoxy)propoxy]phenyl]ethenyl]-2,3-
dihydro- (CA INDEX NAME)


Double bond geometry as shown.




RN 847657-11-8 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[2-(2,3-dihydro-1H-inden-2-yl)ethoxy]phenyl]ethenyl]-2,3-dihydro- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A



RN 847657-12-9 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[(1E)-2-[4-(3-phenoxypropoxy)phenyl]ethenyl]- (CA
INDEX NAME)


Double bond geometry as shown.




RN 847657-13-0 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[3-(2-chlorophenoxy)propoxy]phenyl]ethenyl]-2,3-
 dihydro- (CA INDEX NAME)

Double bond geometry as shown.



PAGE 1-A







RN 847657-14-1 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(2-chlorophenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro- (CA INDEX NAME)

Double bond geometry as shown.





RN 847657-15-2 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(3-chlorophenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro- (CA INDEX NAME)

Double bond geometry as shown.





RN 847657-16-3 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(2,6-dichlorophenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro- (CA INDEX NAME)

Double bond geometry as shown.



RN 847657-17-4 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(2,6-dimethylphenoxy)butoxy]phenyl]ethenyl]-2,3-
 dihydro- (CA INDEX NAME)


Double bond geometry as shown.




RN 847657-18-5 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[(1E)-2-[4-[4-(2-chloro-6-methylphenoxy)butoxy]phenyl]ethenyl]-
 2,3-dihydro- (CA INDEX NAME)

Double bond geometry as shown.


PAGE 1-A




PAGE 2-A




RN 847657-20-9 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-(4-phenoxybutoxy)phenyl]ethyl]- (CA INDEX
NAME)



RN 847657-21-0 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-(3-phenylpropoxy)phenyl]ethyl]- (CA INDEX
 NAME)




RN 847657-22-1 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-8-[2-[4-[(2,3-dihydro-1H-inden-2-yl)methoxy]phenyl]ethyl]-2,3-
 dihydro- (CA INDEX NAME)




RN 847657-23-2 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[2-[4-[3-(2,3-dihydro-1H-inden-2-yl)propoxy]phenyl]ethyl]-2,3-
dihydro- (CA INDEX NAME)




RN 847657-24-3 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[(5-phenoxy)pentyl]oxy]phenyl]ethyl]- (CA
INDEX NAME)




RN 847657-25-4 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[4-(3-methoxyphenoxy)butoxy]phenyl]ethyl]-
 (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-26-5 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[4-(4-methoxyphenoxy)butoxy]phenyl]ethyl]-
 (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-27-6 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[4-(3-methylphenoxy)butoxy]phenyl]ethyl]-
 (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-28-7 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[2-[4-[4-(3-fluorophenoxy)butoxy]phenyl]ethyl]-2,3-dihydro-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-29-8 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[4-(2-methylphenoxy)butoxy]phenyl]ethyl]-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-30-1 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[4-(4-methylphenoxy)butoxy]phenyl]ethyl]-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-32-3 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[4-(2-methoxyphenoxy)butoxy]phenyl]ethyl]-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-33-4 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[2-[4-[4-(2-fluorophenoxy)butoxy]phenyl]ethyl]-2,3-dihydro-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-34-5 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-8-[2-[4-[3-(4-methylphenoxy)propoxy]phenyl]ethyl]-
 (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-35-6 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[3-(2-methylphenoxy)propoxy]phenyl]ethyl]-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-36-7 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[3-(3-methylphenoxy)propoxy]phenyl]ethyl]-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-37-8 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-8-[2-[4-[3-(3-fluorophenoxy)propoxy]phenyl]ethyl]-2,3-dihydro-
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847657-38-9 CAPLUS
CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-8-[2-[4-[3-(3-methoxyphenoxy)propoxy]phenyl]ethyl]-
(CA INDEX NAME)


PAGE 1-A



PAGE 2-A




RN 847657-40-3 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2,3-dihydro-8-[2-[4-(4-phenylbutoxy)phenyl]ethyl]-2-(2H-tetrazol-5-yl)-
 (CA INDEX NAME)




RN 847657-41-4 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-2-(2H-tetrazol-5-
 yl)-, ethyl ester (CA INDEX NAME)

Double bond geometry as shown.



RN 847657-42-5 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-2-(2H-tetrazol-5-
 yl)- (CA INDEX NAME)


Double bond geometry as shown.



RN 847657-43-6 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-(aminocarbonyl)-2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-
(CA INDEX NAME)


Double bond geometry as shown.



RN 847657-45-8 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-(2,5-dihydro-5-oxo-1,2,4-thiadiazol-3-yl)-2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]- (CA INDEX NAME)


Double bond geometry as shown.




RN 847657-46-9 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-(2,5-dihydro-5-oxo-1,2,4-oxadiazol-3-yl)-2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.




RN 847657-51-6 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-(ethoxycarbonyl)-2,3-dihydro-8-[2-[4-(4-phenylbutoxy)phenyl]ethenyl]- (CA
 INDEX NAME)




RN 847657-54-9 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-γ-oxo-8-[(1E)-2-[4-(4-
 phenylbutoxy)phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.




IT 847657-81-2P 847657-82-3P 847657-83-4P
 847657-86-7P 847657-87-8P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (intermediate; preparation of benzoxazine derivs. as cysLT2 receptor
 antagonists for treatment of respiratory diseases)
 RN 847657-81-2 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-(ethoxycarbonyl)-2,3-dihydro-8-[(1E)-2-[4-(4-
 phenylbutoxy)phenyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.




RN 847657-82-3 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-(ethoxycarbonyl)-2,3-dihydro-8-[(1E)-2-[4-(4-
 phenylbutoxy)phenyl]ethenyl]-, ethyl ester (CA INDEX NAME)

Double bond geometry as shown.




RN 847657-83-4 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2-(ethoxycarbonyl)-2,3-dihydro-8-[2-[4-(4-phenylbutoxy)phenyl]ethyl]-,
ethyl ester (CA INDEX NAME)




RN 847657-86-7 CAPLUS

CN 4H-1,4-Benzoxazine-4-butanoic acid,
2,3-dihydro-2-[(hydroxyamino)iminomethyl]-8-[2-[4-(4-phenylbutoxy)phenyl]ethenyl]-, ethyl ester (CA INDEX NAME)



RN 847657-87-8 CAPLUS
 CN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-(2,5-dihydro-5-oxo-1,2,4-oxadiazol-3-yl)-2,3-dihydro-8-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-, ethyl ester (CA INDEX NAME)

Double bond geometry as shown.



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1999:783939 CAPLUS
 DOCUMENT NUMBER: 132:22755
 TITLE: Preparation of aromatic and heteroaromatic
 4-aryl-2,4-dioxobutyric acid derivatives useful as HIV
 integrase inhibitors

INVENTOR(S): Young, Steven D.; Egbertson, Melissa; Payne, Linda S.;
Wai, John S.; Fisher, Thorsten E.; Guare, James P.,
Jr.; Embrey, Mark W.; Tran, Lee; Zhuang, Linghang;
Vacca, Joseph P.; Langford, Marie; Melamed, Jeffrey;
Clark, David L.; Medina, Julio C.; Jaen, Juan

PATENT ASSIGNEE(S): Merck and Co., Inc., USA

SOURCE: PCT Int. Appl., 319 pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9962520	A1	19991209	WO 1999-US12093	19990601
W: AE, AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZA				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2333707	A1	19991209	CA 1999-2333707	19990601
AU 9942254	A	19991220	AU 1999-42254	19990601
EP 1082121	A1	20010314	EP 1999-926094	19990601
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, SI, LT, LV, FI, RO				
US 6380249	B1	20020430	US 1999-323417	19990601
JP 2002516863	T	20020611	JP 2000-551776	19990601
PRIORITY APPLN. INFO.:			US 1998-87820P	P 19980603
			GB 1998-15175	A 19980713
			WO 1999-US12093	W 19990601

OTHER SOURCE(S): MARPAT 132:22755


GI



AB Certain six-membered aromatic and heteroarom. 2,4-dioxobutyric acid derivs. are described, specifically compds. $\text{ArCOCH}_2\text{COCO}_2\text{R}$ [I; Ar = certain (un)substituted (hetero)aromatic groups; R = H, C1-6 alkyl]. I are inhibitors of HIV integrase, and are useful as inhibitors of HIV replication. The compds. are thus useful in the prevention or treatment of infection by HIV and the treatment of AIDS, either as compds., pharmaceutically acceptable salts, pharmaceutical composition ingredients, whether or not in combination with other antivirals [e.g., the HIV protease inhibitor indinavir], immunomodulators, antibiotics or vaccines. Methods of treating AIDS and methods of preventing or treating infection by HIV are also described. Over 200 specific compds. were prepared and/or claimed. For instance, title compound II was prepared as follows: (1) lithiation of 1,3-dibromobenzene and reaction with 5-methylthiophene-2-carboxaldehyde; (2) reduction of the resultant alc. with Et_3SiH to give 2-(3-bromobenzyl)-5-methylthiophene; (3) lithiation of the latter bromide and acetylation with $\text{AcN}(\text{Me})\text{OMe}$; (4) condensation of the

resultant Me ketone with di-Et oxalate; and (5) alkaline hydrolysis of the obtained Et ester. Representative compds. I inhibited HIV replication in T-lymphoid cells with IC95 values < 10 μ M, and had IC50 values of < 1 μ M in reference integrase and preintegration complex assays (no addnl. data).

IT 251964-24-6P, 4-(8-Benzyl-4-methyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl)-2,4-dioxobutyric acid
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (target compound; preparation of aromatic and heteroarom. aryldioxobutyric acid
 derivs. as HIV integrase inhibitors)
 RN 251964-24-6 CAPLUS
 CN 2H-1,4-Benzoxazine-6-butanoic acid,
 3,4-dihydro-4-methyl- α,γ -dioxo-8-(phenylmethyl)- (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil stnguide

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	13.28	572.93
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.64	-1.64

FILE 'STNGUIDE' ENTERED AT 16:48:05 ON 03 FEB 2009
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
 LAST RELOADED: Jan 30, 2009 (20090130/UP).

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.42	573.35
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-1.64

FILE 'REGISTRY' ENTERED AT 16:51:57 ON 03 FEB 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8
DICTIONARY FILE UPDATES: 2 FEB 2009 HIGHEST RN 1099859-47-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\STNEXP\Queries\10569482other.str



chain nodes :

12 14

ring nodes :

1 2 3 4 5 6 7 8 9 10 15 16 17 18 19 20

chain bonds :

4-14 7-12 14-18

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 15-16 15-20 16-17 17-18
18-19 19-20

exact/norm bonds :

4-14 5-7 6-10 7-8 7-12 8-9 9-10 14-18

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20

isolated ring systems :

containing 1 : 15 :

G1:O,N,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
12:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom

L11 STRUCTURE UPLOADED

=> d l11

L11 HAS NO ANSWERS

L11 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s l11

SAMPLE SEARCH INITIATED 16:53:11 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 8456 TO ITERATE

23.7% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 163608 TO 174632

PROJECTED ANSWERS: 0 TO 0

L12 0 SEA SSS SAM L11

=> s l11 sss full

FULL SEARCH INITIATED 16:53:21 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 168941 TO ITERATE

100.0% PROCESSED 168941 ITERATIONS 4 ANSWERS
SEARCH TIME: 00.00.02

L13 4 SEA SSS FUL L11


=> d scan

L13 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 2-Butenoic acid, 4-[(3R)-5-[(S)-(2,3-dimethoxyphenyl)hydroxymethyl]-3-(1,1-dimethylethyl)-2,3-dihydro-7-methyl-4H-1,4-benzoxazin-4-yl]-4-oxo-, ethyl ester, rel-

MF C28 H35 N O7

Relative stereochemistry.
Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):4


L13 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4H-1,4-Benzoxazine-4-butanoic acid,
5-[(R)-(2,3-dimethoxyphenyl)hydroxymethyl]-3-(1,1-dimethylethyl)-2,3-
dihydro- β -mercapto-7-methyl- γ -oxo-, (3S)-rel-
MF C26 H33 N O7 S

Relative stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Ethanone, 2-bromo-1-[5-(2-fluorobenzoyl)-2,3-dihydro-4H-1,4-benzoxazin-4-
yl]-
MF C17 H13 Br F N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Ethanone, 1-(5-benzoyl-2,3-dihydro-4H-1,4-benzoxazin-4-yl)-2-bromo-
MF C17 H14 Br N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=>

Uploading C:\Program Files\STNEXP\Queries\10569482other2.str



```

chain nodes :
12 14
ring nodes :
1 2 3 4 5 6 7 8 9 10 15 16 17 18 19 20
chain bonds :
3-14 7-12 14-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 15-16 15-20 16-17 17-18
18-19 19-20
exact/norm bonds :
3-14 5-7 6-10 7-8 7-12 8-9 9-10 14-18
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20
isolated ring systems :
containing 1 : 15 :

```

G1:O,N,Ak

Match level :

```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
12:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom

```

L14 STRUCTURE UPLOADED

=> s 114

SAMPLE SEARCH INITIATED 16:54:38 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 8456 TO ITERATE

23.7% PROCESSED 2000 ITERATIONS

1 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 163608 TO 174632
PROJECTED ANSWERS: 1 TO 207

L15 1 SEA SSS SAM L14


=> s l14 sss full
FULL SEARCH INITIATED 16:54:45 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 168941 TO ITERATE

100.0% PROCESSED 168941 ITERATIONS 41 ANSWERS
SEARCH TIME: 00.00.02

L16 41 SEA SSS FUL L14

=> d scan

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C25 H21 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):40


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C26 H21 Cl F7 N O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-benzoyl-4-methyl-
 MF C16 H13 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN INDEX NAME NOT YET ASSIGNED
 MF C24 H18 F7 N O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-(4-chlorobenzoyl)-2,4-dimethyl-
 MF C17 H14 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-carboxylic acid, 6-(ethylphenylamino)-2,3-dihydro-,
 1,1-dimethylethyl ester
 MF C21 H26 N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzoic acid, 2-[[4-[(3,4-dichlorophenyl)methyl]-3,4-dihydro-3-oxo-2H-1,4-
 benzoxazin-6-yl]carbonyl]-
 MF C23 H15 Cl2 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzenepropanoic acid, 4-[2-[2,3-dihydro-6-[(methoxyimino)phenylmethyl]-3-oxo-4H-1,4-benzoxazin-4-yl]ethoxy]- α -ethoxy-
MF C29 H30 N2 O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine, 6-(4-chloro-3-ethylphenoxy)-3,4-dihydro-4-[[3-(1,1,2,2,2-pentafluoroethyl)phenyl]methyl]-2-(trifluoromethyl)-, (2R)-
MF C26 H20 Cl F8 N O2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzonitrile, 4-[(3,4-dihydro-4-methyl-3-oxo-2H-1,4-benzoxazin-6-yl)hydroxymethyl]-
 MF C17 H14 N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 3,4-dihydro-6-phenoxy-2-(trifluoromethyl)-4-[[3-(trifluoromethyl)phenyl]methyl]-, (2R)-
 MF C23 H17 F6 N O2

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzonitrile, 4-[(3,4-dihydro-4-methyl-3-oxo-2H-1,4-benzoxazin-6-yl)-1H-imidazol-1-ylmethyl]-
 MF C20 H16 N4 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-(2-chloro-2-phenylacetyl)-4-methyl-
 MF C17 H14 Cl N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-(4-chlorobenzoyl)-4-methyl-
 MF C16 H12 Cl N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 8-methoxy-4-methyl-6-[phenyl(3S)-3-pyrrolidinylamino]-
 MF C20 H23 N3 O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, [4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-
 6-yl]phenyl-
 MF C25 H25 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-carboxylic acid,
 2,3-dihydro-5-methyl-3-oxo-6-(2-phenylethenyl)-, 1,1-dimethylethyl ester
 MF C22 H23 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C28 H23 Cl F3 N O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzonitrile, 4-[(3,4-dihydro-4-methyl-3-oxo-2H-1,4-benzoxazin-6-yl)carbonyl]-
MF C17 H12 N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine, 6-(4-chloro-3-ethylphenoxy)-3,4-dihydro-2-(trifluoromethyl)-4-[[3-[(trifluoromethyl)thio]phenyl]methyl]-, (2R)-
MF C25 H20 Cl F6 N O2 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzoic acid, 2-[(3,4-dihydro-3-oxo-4-propyl-2H-1,4-benzoxazin-6-yl)carbonyl]-
 MF C19 H17 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-methyl-6-(2-phenylacetyl)-
 MF C17 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzoic acid, 2-[[4-[(3-fluorophenyl)methyl]-3,4-dihydro-3-oxo-2H-1,4-benzoxazin-6-yl]carbonyl]-
 MF C23 H16 F N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzenepropanoic acid, 4-[2-[2,3-dihydro-6-[(methoxyimino)phenylmethyl]-3-oxo-4H-1,4-benzoxazin-4-yl]ethoxy]- α -ethoxy-, ethyl ester
 MF C31 H34 N2 O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-[2-chloro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C17 H13 Cl F3 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzoic acid, 2-[[4-[2-(4-fluorophenyl)-2-oxoethyl]-3,4-dihydro-3-oxo-2H-
 1,4-benzoxazin-6-yl]carbonyl]-
 MF C24 H16 F N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 3,4-dihydro-4-[[3-(1,1,2,2,2-
 pentafluoroethyl)phenyl]methyl]-6-phenoxy-2-(trifluoromethyl)-, (2R)-
 MF C24 H17 F8 N O2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-methyl-6-(phenyl-1H-1,2,4-triazol-1-ylmethyl)-
 MF C18 H16 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN INDEX NAME NOT YET ASSIGNED
 MF C26 H20 Cl F8 N O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 2H-1,4-Benzoxazin-3(4H)-one, 6-benzoyl-2,4-dimethyl-
 MF C17 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-6-amine, N-ethyl-3,4-dihydro-4-(1H-imidazol-5-ylmethyl)-
 N-phenyl-
 MF C20 H22 N4 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzoic acid, 2-[(3,4-dihydro-4-methyl-3-oxo-2H-1,4-benzoxazin-6-yl)carbonyl]-
 MF C17 H13 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzenepropanoic acid, 4-[2-[2,3-dihydro-6-[(hydroxyimino)phenylmethyl]-3-oxo-4H-1,4-benzoxazin-4-yl]ethoxy]-α-ethoxy-


MF C28 H28 N2 O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 6-(4-chloro-3-ethylphenoxy)-3,4-dihydro-2-(trifluoromethyl)-4-[[3-(trifluoromethyl)phenyl]methyl]-, (2R)-
 MF C25 H20 Cl F6 N O2

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-(hydroxyphenylmethyl)-4-methyl-
 MF C16 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN INDEX NAME NOT YET ASSIGNED
 MF C20 H18 N4 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-(1H-imidazol-1-ylphenylmethyl)-4-methyl-
 MF C19 H17 N3 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 6-(2-bromo-2-phenylacetyl)-4-methyl-
 MF C17 H14 Br N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzoic acid, 2-[(3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-6-yl)carbonyl]-
 MF C18 H15 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzenepropanoic acid, 4-[2-[2,3-dihydro-6-[(hydroxyimino)phenylmethyl]-3-oxo-4H-1,4-benzoxazin-4-yl]ethoxy]-α-ethoxy-, ethyl ester
 MF C30 H32 N2 O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L16 41 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzenecarboximidamide, 3-[4-[5-[(2R,6S)-2,6-dimethyl-1-piperidinyl]pentyl]-3,4-dihydro-3-oxo-6-(phenylamino)-2H-1,4-benzoxazin-2-yl]-, rel-
MF C33 H41 N5 O2

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=>

Uploading C:\Program Files\STNEXP\Queries\10569482last.str



chain nodes :
12 14
ring nodes :
1 2 3 4 5 6 7 8 9 10 15 16 17 18 19 20
chain bonds :
2-14 7-12 14-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 15-16 15-20 16-17 17-18
18-19 19-20
exact/norm bonds :
2-14 5-7 6-10 7-8 7-12 8-9 9-10 14-18
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20
isolated ring systems :
containing 1 : 15 :

G1:O,N,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
12:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom

L17 STRUCTURE UPLOADED

=> s l17 sss full

FULL SEARCH INITIATED 16:56:35 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 168941 TO ITERATE

100.0% PROCESSED 168941 ITERATIONS

246 ANSWERS

SEARCH TIME: 00.00.02

L18 246 SEA SSS FUL L17


=> d scan

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 2H-1,4-Benzoxazin-7-amine, 3,4-dihydro-4-methyl-N-phenyl-N-(3S)-3-pyrrolidinyl-

MF C19 H23 N3 O

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):100

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 4H-1,4-Benzoxazine-4-butanoic acid,
2-carboxy-2,3-dihydro-7-[(1E)-2-[4-(2-phenylethoxy)phenyl]ethenyl]-


MF C29 H29 N O6

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN β -Alanine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester, mixt. with butyl 2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoate (9CI)
 MF C23 H21 Cl F4 N2 O6 . C19 H20 F3 N O4
 CI MXS
 CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2-acetyl-7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C19 H14 Cl F4 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-(phenylmethyl)-
 MF C25 H19 Cl F4 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-, phenylmethyl ester
 MF C25 H19 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-, (S)- (9CI)
 MF C17 H12 Cl F4 N O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-chlorophenyl)-1-oxo-2-propenyl]-4-methyl-, (E)- (9CI)
MF C18 H14 Cl N O3

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C20 H18 N4 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-methyl-7-(1-oxo-2-phenyl-2-propen-1-yl)-
 MF C18 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, [4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-
 7-yl][4-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]-3-methoxyphenyl]-
 MF C37 H42 N2 O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-2-[1-[(2-propyn-1-
 yloxy)imino]ethyl]-
 MF C22 H17 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Glycine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-
 2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-
 MF C20 H15 Cl F4 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-
 N-ethyl-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C20 H18 Cl F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
 , ethyl ester
 MF C20 H16 Cl2 F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-2,4-
 dimethyl-2-phenyl-
 MF C23 H17 Cl F3 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-butyl-7-(4-methoxybenzoyl)-
 MF C20 H21 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, [7-(4-aminophenoxy)-2,3-dihydro-4H-1,4-benzoxazin-4-yl][4-[(1-butyl-4-piperidinyl)oxy]phenyl]-
 MF C30 H35 N3 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-butanoic acid,
 2-carboxy-2,3-dihydro-7-[(1E)-2-[4-(4-phenylbutoxy)phenyl]ethenyl]-
 MF C31 H33 N O6

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Propanoic acid, 2-[4-[(6-chloro-2-benzoxazolyl)oxy]phenoxy]-, ethyl ester,
 mixt. with 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-ethyl-3,4-

dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazine-2-carboxamide (9CI)


MF C20 H17 Cl F4 N2 O4 . C18 H16 Cl N O5

CI MXS

CM 1




CM 2



L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 2H-1,4-Benzoxazin-3(4H)-one, 2-(2-diazoacetyl)-7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-


MF C19 H12 Cl2 F3 N3 O4



L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-N-octyl-3-oxo-

MF C26 H29 Cl F4 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 4-chlorophenyl ester
 MF C24 H16 Cl2 F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-, (R)- (9CI)
 MF C17 H12 Cl F4 N O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 2H-1,4-Benzoxazin-3(4H)-one, 2,2,4-trimethyl-7-(1-oxo-3-phenyl-2-propenyl)-
, (E)- (9CI)
MF C20 H19 N O3


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C21 H22 N2 O3

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-hydroxyphenyl)-1-oxo-2-propen-1-yl]-
2,2,4-trimethyl-
MF C20 H19 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, [4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-
 7-yl] (4-methoxyphenyl)-
 MF C26 H27 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-2-[1-[(2-propen-1-
 yloxy)imino]ethyl]-
 MF C22 H19 Cl F4 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN L-Alanine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-
dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester
MF C23 H21 Cl F4 N2 O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-
3,4-dihydro-2,4-dimethyl-3-oxo-
MF C18 H14 Cl F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2-chloro-4-(trifluoromethyl)phenoxy]-2,4-diethyl-3,4-dihydro-3-oxo-,
ethyl ester
MF C22 H21 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-2,2,4-trimethyl-
 MF C18 H15 Cl F3 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Ethanamine, 2-[[[(3R,4S,5S)-5-[[3,4-dihydro-4-(3-methoxypropyl)-2H-1,4-benzoxazin-6-yl]methoxy]-4-[4-[(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)oxy]phenyl]-3-piperidinyl]oxy]-N-methyl-, rel-
 MF C36 H48 N4 O6

Relative stereochemistry.




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, [4-[(1-butyl-4-piperidinyl)oxy]phenyl][2,3-dihydro-7-(4-nitrophenoxy)-4H-1,4-benzoxazin-4-yl]-
 MF C30 H33 N3 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-acetic acid, 7-benzoyl-2,3-dihydro- α ,3-dimethyl-2-oxo-, ethyl ester
 MF C21 H21 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-ethyl-3,4-dihydro-2,4-dimethyl-3-oxo-, mixt. with exo-1-methyl-4-(1-methylethyl)-2-[(2-methylphenyl)methoxy]-7-oxabicyclo[2.2.1]heptane (9CI)
 MF C20 H17 Cl F4 N2 O4 . C18 H26 O2
 CI MXS
 CM 1




CM 2


Relative stereochemistry.



L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2-(2-diazoacetyl)-2,4-dimethyl-
 MF C19 H12 Cl F4 N3 O4




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-cyclohexyl-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C24 H23 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 1,1-dimethylethyl ester
 MF C22 H21 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-
 2,4-dimethyl-3-(nitromethylene)-
 MF C18 H14 Cl F3 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2,4-dimethyl-7-[(2E)-1-oxo-3-phenyl-2-propen-1-yl]-
 MF C19 H17 N O3

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-7-butanoic acid,
 3,4-dihydro-4-[3-(1H-imidazol-2-ylamino)butyl]-3-oxo-β-phenyl-
 MF C25 H28 N4 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-chlorophenyl)-1-oxo-2-propen-1-yl]-
2,2,4-trimethyl-
MF C20 H18 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Methanone, [4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-
7-yl](3,4,5-trimethoxyphenyl)-
MF C28 H31 N O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-
2,4-dimethyl-2-[1-[(1-methylethoxy)imino]ethyl]-
MF C22 H21 Cl2 F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN β -Alanine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester
 MF C23 H21 Cl F4 N2 O6
 CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-, 2-(ethylamino)-2-oxoethyl ester
 MF C22 H19 Cl F4 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 4-acetyl-7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2-methyl-3-
 oxo-, ethyl ester
 MF C21 H17 Cl F3 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-4-
 methyl-
 MF C16 H11 Cl F3 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 3-Piperidinol, 5-[[[3,4-dihydro-4-(3-methoxypropyl)-2H-1,4-benzoxazin-6-
 yl]methoxy]-4-[4-[(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)oxy]phenyl]-
 , (3R,4R,5S)-rel-
 MF C33 H41 N3 O6

Relative stereochemistry.




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Urea, N-[4-[[4-[4-[(1-butyl-4-piperidinyloxy)benzoyl]-3,4-dihydro-2H-1,4-
 benzoxazin-7-yl]oxy]phenyl]-N'-(1-ethylpropyl)-
 MF C36 H46 N4 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-acetic acid, 7-benzoyl-2,3-dihydro-2-oxo-, ethyl
 ester
 MF C19 H17 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphoramidothioic acid, (1-methylpropyl)-, O-ethyl
 O-(5-methyl-2-nitrophenyl) ester, mixt. with
 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-ethyl-3,4-dihydro-2,4-
 dimethyl-3-oxo-2H-1,4-benzoxazine-2-carboxamide (9CI)
 MF C20 H17 Cl F4 N2 O4 . C13 H21 N2 O4 P S
 CI MXS
 CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-
 (trifluoromethyl)phenoxy]-2,4-dimethyl-2-(1-oxopentyl)-
 MF C22 H20 Cl F4 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, N-butyl-7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C22 H21 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 butyl ester
 MF C22 H21 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-(3,5-dichlorophenoxy)-2,4-dimethyl-
 MF C16 H13 Cl2 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-methyl-7-(1-oxo-3-phenyl-2-propenyl)-, (E)-
 (9CI)
 MF C18 H15 N O3


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2,4-Pentadienoic acid, 5-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-5-
 [4-(trifluoromethyl)phenyl]-, (2E,4Z)-
 MF C21 H18 F3 N O3

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2,2,4-trimethyl-7-(1-oxo-3-phenyl-2-propen-1-yl)-
 MF C20 H19 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Ethanone, 1-[4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-7-yl]-2-phenyl-
 MF C26 H27 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2-[1-(ethoxyimino)ethyl]-2,4-dimethyl-
 MF C21 H19 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Glycine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester
 MF C22 H19 Cl F4 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 2-ethoxy-2-oxoethyl ester
 MF C22 H19 Cl F3 N O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-4-(methoxymethyl)-2-
 methyl-3-oxo-, ethyl ester
 MF C21 H19 Cl F3 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-2-methyl-4-(2-propyn-1-yl)-
 MF C19 H13 Cl F3 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzeneacetamide, α -[[(1S)-1-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-3-[4-(trifluoromethyl)phenyl]propyl]amino]-N-methyl-, (α R)-
 MF C28 H30 F3 N3 O2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 3-Piperidinol, 5-[[[3,4-dihydro-4-(3-methoxypropyl)-2H-1,4-benzoxazin-6-yl]methoxy]-4-[4-[(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)oxy]phenyl]-1-[(4-methylphenyl)sulfonyl]-
 MF C40 H47 N3 O8 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[(R)-1H-imidazol-1-ylphenylmethyl]-4-methyl-
 MF C19 H17 N3 O2


Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-N-(methoxymethyl)-2,4-dimethyl-3-oxo-,
 mixt. with 2-chloro-N-(2,6-diethylphenyl)-N-(methoxymethyl)acetamide
 (9CI)
 MF C20 H17 Cl F4 N2 O5 . C14 H20 Cl N O2
 CI MXS


CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-2-(1-oxobutyl)-
 MF C21 H18 Cl F4 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-N-(1-methylethyl)-3-oxo-
 MF C21 H19 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 1-methylethyl ester
 MF C21 H19 Cl F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-
 dihydro-2,4-dimethyl-3-(nitromethylene)-
 MF C18 H13 Cl2 F3 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-hydroxyphenyl)-1-oxo-2-propen-1-yl]-4-
 methyl-
 MF C18 H15 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2,4-Pentadienamide, 5-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-N-5-
 isoquinolinyl-5-[4-(trifluoromethyl)phenyl]-, (2E,4Z)-
 MF C30 H24 F3 N3 O2

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-hydroxyphenyl)-1-oxo-2-propen-1-yl]-
 2,4-dimethyl-
 MF C19 H17 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Methanone, [4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-7-yl]phenyl-
MF C25 H25 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-2-[1-(methoxyimino)ethyl]-2,4-dimethyl-
MF C20 H17 Cl2 F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Carbamic acid, [[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester (9CI)
MF C21 H17 Cl F4 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-
 3-oxo-, 2,2,2-trifluoroethyl ester
 MF C20 H13 Cl F7 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2-methyl-3-oxo-4-
 (phenylmethyl)-, ethyl ester
 MF C26 H21 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-2-methyl-4-(1-methylethyl)-
MF C19 H17 Cl F3 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzeneacetamide, α -[[[(1R)-1-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-3-[4-(trifluoromethyl)phenyl]propyl]amino]-N-methyl-, (α S)-
MF C28 H30 F3 N3 O2


Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzenesulfonamide, N-[2-[[5-[[3,4-dihydro-4-(3-methoxypropyl)-2H-1,4-benzoxazin-6-yl]methoxy]-4-[4-[(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)oxy]phenyl]-1-[(4-methylphenyl)sulfonyl]-3-piperidinyl]oxy]ethyl]-N,4-dimethyl-
MF C50 H60 N4 O10 S2

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[(S)-1H-imidazol-1-ylphenylmethyl]-4-methyl-
MF C19 H17 N3 O2


Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-N-(methoxymethyl)-2,4-dimethyl-3-oxo-, mixt. with 2,6-dinitro-N,N-dipropyl-4-(trifluoromethyl)benzenamine (9CI)
 MF C20 H17 Cl F4 N2 O5 . C13 H16 F3 N3 O4
 CI MXS


CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2-(1-ethyl-1-hydroxypropyl)-2,4-dimethyl-
 MF C22 H22 Cl F4 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-propyl-
 MF C21 H19 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 propyl ester
 MF C21 H19 Cl F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-
 dihydro-2,4-dimethyl-3-(nitromethylene)-
 MF C18 H13 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-benzoyl-2,4-dimethyl-
 MF C17 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-hydroxyphenyl)acetyl]-2,2,4-trimethyl-
 MF C19 H19 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-chlorophenyl)-1-oxo-2-propen-1-yl]-
 2,4-dimethyl-
 MF C19 H16 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-7-phenoxy-
 MF C24 H25 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2-[1-(methoxyimino)ethyl]-2,4-dimethyl-
 MF C20 H17 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-N,N,2,4-tetramethyl-3-oxo-
 MF C20 H17 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-
3-oxo-, 2-propyn-1-yl ester
MF C21 H14 Cl F4 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2-methyl-3-oxo-4-(2-
propen-1-yl)-, ethyl ester
MF C22 H19 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-4-
ethyl-2-methyl-
MF C18 H15 Cl F3 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):100


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1-Propanone, 1-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-3-[4-(trifluoromethyl)phenyl]-
 MF C19 H18 F3 N O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Ethanamine, 2-[[[(3S,4R,5R)-5-[[[3,4-dihydro-4-(3-methoxypropyl)-2H-1,4-benzoxazin-6-yl]methoxy]-4-[4-[(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)oxy]phenyl]-3-piperidinyl]oxy]-N-methyl-
 MF C36 H48 N4 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-(1H-imidazol-1-ylphenylmethyl)-4-methyl-
 MF C19 H17 N3 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-(2,2,2-trifluoroethyl)-, mixt. with exo-1-methyl-4-(1-methylethyl)-2-[(2-methylphenyl)methoxy]-7-oxabicyclo[2.2.1]heptane (9CI)
 MF C20 H14 Cl F7 N2 O4 . C18 H26 O2
 CI MXS

CM 1




CM 2

Relative stereochemistry.




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-2-(1-oxopropyl)-
 MF C20 H16 Cl F4 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-4-(difluoromethyl)-N-ethyl-3,4-dihydro-2-methyl-3-oxo-
 MF C20 H15 Cl F6 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 methyl ester
 MF C19 H15 Cl F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Cyanamide, [7-[2-chloro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-2H-1,4-
 benzoxazin-3(4H)-ylidene]- (9CI)
 MF C18 H13 Cl F3 N3 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-methyl-7-(1-oxo-3-phenyl-2-propen-1-yl)-
 MF C18 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-chlorophenyl)acetyl]-2,2,4-trimethyl-
 MF C19 H18 Cl N O3





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2,4-dimethyl-7-(1-oxo-3-phenyl-2-propen-1-yl)-
 MF C19 H17 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-7-propanoic acid,
 3,4-dihydro-4-[2-[3-methoxy-4-[[[(2-
 methylphenyl)amino]carbonyl]amino]phenyl]acetyl]-β-(2-methylphenyl)-
 MF C35 H35 N3 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2-[1-(hydroxyimino)ethyl]-2,4-dimethyl-
 MF C19 H15 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-N-(methoxymethyl)-2,4-dimethyl-3-oxo-
 MF C20 H17 Cl F4 N2 O5
 CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-, 2-propen-1-yl ester
 MF C21 H16 Cl F4 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2-methyl-4-(1-methylethyl)-3-oxo-, ethyl ester
 MF C22 H21 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C17 H13 Cl F3 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzeneacetamide, α -[[(1R)-1-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-3-[4-(trifluoromethyl)phenyl]propyl]amino]-N-methyl-,
 (α R)-rel-
 MF C28 H30 F3 N3 O2


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 3-Piperidinol, 5-[[3,4-dihydro-4-(3-methoxypropyl)-2H-1,4-benzoxazin-6-yl]methoxy]-4-[4-[(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)oxy]phenyl]-, (3S,4S,5R)-
 MF C33 H41 N3 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-(hydroxyphenylmethyl)-4-methyl-
 MF C16 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphoramidothioic acid, (1-methylpropyl)-, O-ethyl
 O-(5-methyl-2-nitrophenyl) ester, mixt. with
 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-
 3-oxo-N-(2,2,2-trifluoroethyl)-2H-1,4-benzoxazine-2-carboxamide (9CI)


MF C20 H14 Cl F7 N2 O4 . C13 H21 N2 O4 P S
 CI MXS
 CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-
 3-oxo-, 2,2-dimethylhydrazide
 MF C20 H18 Cl F4 N3 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-
 (trifluoromethyl)phenoxy]-N-ethyl-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C20 H17 Cl F4 N2 O4
 CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 potassium salt (1:1)
 MF C18 H13 Cl F3 N O5 . K



● K


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Propanedinitrile, 2-[7-[2-chloro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 2H-1,4-benzoxazin-3(4H)-ylidene]-
 MF C20 H13 Cl F3 N3 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-chlorophenyl)-1-oxo-2-propen-1-yl]-4-

MF methyl-
C18 H14 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 2,2,4-trimethyl-7-(2-phenylacetyl)-
MF C19 H19 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[5-chloro-2-[(methylamino)methyl]phenoxy]-4-methyl-
MF C17 H17 Cl N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 2H-1,4-Benzoxazine-7-propanoic acid,
 3,4-dihydro-4-[2-[3-methoxy-4-[[[(2-
 methylphenyl)amino]carbonyl]amino]phenyl]acetyl]- β -phenyl-
 MF C34 H33 N3 O6

PAGE 1-A



PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Acetic acid, 2-(acetyloxy)-, 2-[7-[2-chloro-6-fluoro-4-
 (trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-
 2-yl]-2-oxoethyl ester
 MF C23 H18 Cl F4 N O8


COCCNC(=O)C1(C)OC(=O)N1C2=CC=C(C=C2)Oc3cc(F)c(C(F)(F)F)cc3Cl

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

CCOC(=O)C1(C)OC(=O)N(C)c2ccc(Oc3cc(F)c(C(F)(F)F)cc3Cl)cc2


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2-methyl-3-oxo-4-
propyl-, ethyl ester
MF C22 H21 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 2,4-dimethyl-7-(1-oxo-2-phenyl-2-propen-1-yl)-
MF C19 H17 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzeneacetamide, α -[[(1R)-1-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-
7-yl)-3-[4-(trifluoromethyl)phenyl]propyl]amino]-N-methyl-,
(α S)-rel-
MF C28 H30 F3 N3 O2

Relative stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-hydroxyphenyl)-1-oxo-2-propen-1-yl]-
 2,2,4-trimethyl-
 MF C20 H19 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzoic acid, 4-[[3,4-dihydro-4-methyl-3-oxo-7-(3-phenyl-1-propyn-1-yl)-2H-
 1,4-benzoxazin-2-yl]methyl]-
 MF C26 H21 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Carbamothioic acid, diethyl-, S-[(4-chlorophenyl)methyl] ester, mixt. with
 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-
 3-oxo-N-(2,2,2-trifluoroethyl)-2H-1,4-benzoxazine-2-carboxamide (9CI)
 MF C20 H14 Cl F7 N2 O4 . C12 H16 Cl N O S
 CI MXS


CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Carbamothioic acid, [[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-
 dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, O-ethyl
 ester (9CI)
 MF C21 H17 Cl F4 N2 O5 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-
 (trifluoromethyl)phenoxy]-3,4-dihydro-N,2,4-trimethyl-3-oxo-
 MF C19 H15 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 sodium salt (1:1)
 MF C18 H13 Cl F3 N O5 . Na




● Na

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-3(4H)-thione, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C17 H12 Cl2 F3 N O2 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-(4-chlorobenzoyl)-2,2,4-trimethyl-
 MF C18 H16 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-hydroxyphenyl)acetyl]-2,4-dimethyl-
 MF C18 H17 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzenemethanamine, 4-chloro-2-[(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)oxy]-N-methyl-
 MF C17 H19 Cl N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phenol, 4-[[4-(dimethylamino)phenyl](4-ethyl-3,4-dihydro-2H-1,4-benzoxazin-7-yl)methyl]-2,6-dimethoxy-
 MF C27 H32 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2-[2-(acetyloxy)acetyl]-7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C21 H16 Cl F4 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-N-methoxy-2,4-dimethyl-3-oxo-
 MF C19 H15 Cl F4 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
 , 2-propen-1-yl ester
 MF C21 H16 Cl2 F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-4-ethyl-3,4-dihydro-2-methyl-3-oxo-
 , ethyl ester
 MF C21 H19 Cl F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2,4-dimethyl-7-(2-phenylacetyl)-
 MF C18 H17 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-7-butanoic acid,
3,4-dihydro-3-oxo- β -phenyl-4-[3-(2-pyridinylamino)propyl]-, ethyl
ester
MF C28 H31 N3 O4






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN β -Alanine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester, mixt. with 2-[1-(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one (9CI)
 MF C23 H21 Cl F4 N2 O6 . C17 H29 N O3 S
 CI MXS
 CM 1




CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-[(ethylamino)thioxomethyl]-3,4-dihydro-2,4-dimethyl-3-oxo-

MF C21 H18 Cl F4 N3 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
MF C18 H13 Cl F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-
3-oxo-
MF C18 H12 Cl F4 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-3(4H)-thione, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C17 H12 Cl F4 N O2 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-(4-chlorobenzoyl)-2,4-dimethyl-
 MF C17 H14 Cl N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-chlorophenyl)acetyl]-2,4-dimethyl-
 MF C18 H16 Cl N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, (3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl) (3-ethoxy-4-

methoxyphenyl)-
MF C19 H21 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2,5-Cyclohexadien-1-one, 4-[[4-amino-3,5-bis(1-methylethyl)phenyl](4-ethyl-3,4-dihydro-2H-1,4-benzoxazin-7-yl)methylene]-2,6-dimethoxy-
MF C31 H38 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 2-(2-bromoacetyl)-7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
MF C19 H13 Br Cl F4 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-(4-chlorophenyl)-3,4-dihydro-2,4-dimethyl-3-oxo-
MF C24 H16 Cl2 F4 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-, 2-methoxyethyl ester
MF C21 H18 Cl2 F3 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-, ethyl ester
MF C20 H17 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-hydroxyphenyl)-1-oxo-2-propenyl]-
 2,2,4-trimethyl-, (E)- (9CI)
 MF C20 H19 N O4

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-7-butanoic acid,
 3,4-dihydro-3-oxo- β -phenyl-4-[3-(2-pyridinylamino)propyl]-
 MF C26 H27 N3 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 2,2,4-trimethyl-7-(1-oxo-2-phenyl-2-propen-1-yl)-
MF C20 H19 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-7-butanoic acid,
3,4-dihydro-4-[3-(1H-imidazol-2-ylamino)propyl]-3-oxo-β-phenyl-
MF C24 H26 N4 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-N-(2-methoxyethyl)-2,4-dimethyl-3-oxo-, mixt. with 2-[1-(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one (9CI)
MF C21 H19 Cl F4 N2 O5 . C17 H29 N O3 S
CI MXS


CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-[(ethylamino)carbonyl]-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C21 H18 Cl F4 N3 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-2-propen-1-yl-
 MF C21 H17 Cl2 F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C18 H12 Cl2 F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-3(4H)-thione, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-
 2,4-dimethyl-
 MF C17 H13 Cl F3 N O2 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-(4-chlorobenzoyl)-4-methyl-
 MF C16 H12 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-hydroxyphenyl)acetyl]-4-methyl-
 MF C17 H15 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, (3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl) (3,5-
 dimethoxyphenyl)-
 MF C18 H19 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2,5-Cyclohexadien-1-one, 4-[[4-(dimethylamino)phenyl](4-ethyl-3,4-dihydro-
 2H-1,4-benzoxazin-7-yl)methylene]-2,6-dimethoxy-
 MF C27 H30 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2-(2-chloroacetyl)-7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C19 H13 Cl2 F4 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-(2,2,2-trifluoroethyl)-
 MF C20 H14 Cl F7 N2 O4
 CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
, propyl ester
MF C21 H18 Cl2 F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-4-methyl-3-oxo-, ethyl
ester
MF C19 H15 Cl F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[(2E)-3-(4-hydroxyphenyl)-1-oxo-2-propen-1-yl]-2,4-dimethyl-
MF C19 H17 N O4

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-7-butanoic acid,
 3,4-dihydro-4-[3-[(1-oxido-2-
 pyridinyl) [(phenylmethoxy) carbonyl] amino] propyl]-3-oxo-β-phenyl-,
 ethyl ester
 MF C36 H37 N3 O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-hydroxyphenyl)-1-oxo-2-propen-1-yl]-
 2,4-dimethyl-
 MF C19 H17 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-7-butanoic acid,
 3,4-dihydro-3-oxo- β -phenyl-4-[4-(2-pyridinylamino)butyl]-
 MF C27 H29 N3 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-
 2,4-dimethyl-2-[1-[(2-propyn-1-yloxy)imino]ethyl]-
 MF C22 H17 Cl2 F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-N-(methylsulfonyl)-3-oxo-
 MF C19 H15 Cl F4 N2 O6 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-N-ethyl-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C20 H17 Cl2 F3 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C18 H13 Cl F3 N O5
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-

(trifluoromethyl)phenoxy]-4-(difluoromethyl)-2-methyl-
 MF C17 H10 Cl F6 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-benzoyl-2,2,4-trimethyl-
 MF C18 H17 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-chlorophenyl)acetyl]-4-methyl-
 MF C17 H14 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2-Propenenitrile, 3-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-3-(3-ethoxy-4-methoxyphenyl)-
 MF C21 H22 N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C17 H12 Cl F4 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-2-(2-hydroxyacetyl)-2,4-dimethyl-
 MF C19 H14 Cl2 F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, N-(2-chloroethyl)-7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C20 H16 Cl2 F4 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carbothioic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 S-ethyl ester
 MF C20 H17 Cl F3 N O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):50


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine, 7-(2,2-diphenylethenyl)-4-ethyl-3,4-dihydro-
 MF C24 H23 N O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-hydroxyphenyl)-1-oxo-2-propenyl]-4-
 methyl-, (E)- (9CI)
 MF C18 H15 N O4

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-7-butanoic acid,
3,4-dihydro-4-[(4-methoxyphenyl)methyl]-3-oxo- β -phenyl-, ethyl ester
MF C28 H29 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-chlorophenyl)-1-oxo-2-propen-1-yl]-
2,4-dimethyl-
MF C19 H16 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 4-butyl-8-chloro-7-(4-methoxybenzoyl)-
MF C20 H20 Cl N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-2-(2-methyl-1,3-dioxolan-2-yl)-
MF C21 H18 Cl F4 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-(1-oxopropyl)-
MF C21 H17 Cl F4 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-
 N-(4,6-dimethyl-2-pyrimidinyl)-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C24 H20 Cl F3 N4 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carbothioic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-thioxo-
 , O-ethyl ester
 MF C20 H17 Cl F3 N O3 S2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-
 2,4-dimethyl-
 MF C17 H12 Cl2 F3 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-benzoyl-4-methyl-
 MF C16 H13 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-methyl-7-(2-phenylacetyl)-
 MF C17 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2-Propenenitrile, 3-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-3-(3,5-dimethoxyphenyl)-
 MF C20 H20 N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN β -Alanine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester, mixt. with ethyl 2-[4-[(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoate (9CI)
 MF C23 H21 Cl F4 N2 O6 . C18 H16 Cl N O5
 CI MXS
 CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2-(2-hydroxyacetyl)-2,4-dimethyl-
 MF C19 H14 Cl F4 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-2-propyn-1-yl-
 MF C21 H15 Cl F4 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-,
 2-methoxyethyl ester
 MF C21 H19 Cl F3 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxo-2-propen-1-yl]-4-methyl-


MF C26 H31 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT



L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-(4-chlorophenyl)-1-oxo-2-propenyl]-2,2,4-
trimethyl-, (E)- (9CI)
MF C20 H18 Cl N O3

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C33 H41 N3 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-hydroxyphenyl)-1-oxo-2-propen-1-yl]-4-methyl-
 MF C18 H15 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, [4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-7-yl][3-methoxy-4-(methylamino)phenyl]-
 MF C27 H30 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-2-[1-(2-methylhydrazinylidene)ethyl]-
 MF C20 H18 Cl F4 N3 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, N-acetyl-7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C20 H15 Cl F4 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-
 N,N-diethyl-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C22 H22 Cl F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid,
 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-4-(difluoromethyl)-3,4-
 dihydro-2-methyl-3-oxo-, ethyl ester
 MF C20 H14 Cl F6 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2,4-dimethyl-7-phenoxy-
 MF C16 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 4H-1,4-Benzoxazine-4-carboxamide, 6-bromo-7-(4-bromophenoxy)-2,3-dihydro-N-methyl-
 MF C16 H14 Br2 N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,2-Ethanedione, 1-(3,4-dihydro-4-methyl-2H-1,4-benzoxazin-7-yl)-2-phenyl-
 MF C17 H15 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 4-methyl-7-(phenyl-1H-1,2,4-triazol-1-ylmethyl)-
 MF C18 H16 N4 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN β -Alanine, N-[[7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]carbonyl]-, ethyl ester, mixt. with ethyl 2-[4-[(6-chloro-2-quinoxalinyloxy]phenoxy]propanoate (9CI)
 MF C23 H21 Cl F4 N2 O6 . C19 H17 Cl N2 O4
 CI MXS
 CM 1



CM 2




L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 2-acetyl-7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-2,4-dimethyl-
 MF C19 H14 Cl2 F3 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-N-2-propen-1-yl-
 MF C21 H17 Cl F4 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxylic acid, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-, 2-oxopropyl ester
 MF C21 H17 Cl F3 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[3-fluoro-5-(tetrahydro-4-methoxy-2H-pyran-4-yl)phenoxy]-4-methyl-
 MF C21 H22 F N O5




Double bond geometry as shown.

O=C(O)CCN(c1ccc2c(c1)OCCN2CNC3=CN=CN=C3)Cc4ccccc4


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-(4-chlorophenyl)-1-oxo-2-propen-1-yl]-4-methyl-
 MF C18 H14 Cl N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Methanone, [4-[2-(3,4-dimethoxyphenyl)ethyl]-3,4-dihydro-2H-1,4-benzoxazin-7-yl][4-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]phenyl]-
 MF C36 H40 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Propanoic acid, 2-[[[1-[7-[2,6-dichloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-3-oxo-2H-1,4-benzoxazin-2-yl]ethylidene]amino]oxy]-, ethyl ester
 MF C24 H23 Cl2 F3 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-N-[2-(ethylamino)-1-methyl-2-oxoethyl]-3,4-dihydro-2,4-dimethyl-3-oxo-
 MF C23 H22 Cl F4 N3 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 2H-1,4-Benzoxazine-2-carboxamide, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-N-methoxy-N,2,4-trimethyl-3-oxo-
 MF C20 H18 Cl F3 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazine-2-carboxylic acid,
7-[2-chloro-6-fluoro-4-(trifluoromethyl)phenoxy]-3,4-dihydro-2,4-dimethyl-
3-oxo-, ethyl ester
MF C20 H16 Cl F4 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2H-1,4-Benzoxazin-3(4H)-one, 7-[2-chloro-4-(trifluoromethyl)phenoxy]-4-(
hydroxymethyl)-2-methyl-
MF C17 H13 Cl F3 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L18 246 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4H-1,4-Benzoxazine-4-carboxamide, 2,3-dihydro-N-methyl-7-phenoxy-
MF C16 H16 N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> fil stnguide

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	561.48	1134.83
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-1.64

FILE 'STNGUIDE' ENTERED AT 16:58:23 ON 03 FEB 2009
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Jan 30, 2009 (20090130/UP).

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.42	1135.25
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-1.64

STN INTERNATIONAL LOGOFF AT 17:01:48 ON 03 FEB 2009